

mPDF

ChangeLog

```
=====
mPDF 5.4
14/02/2012
=====
```

Files changed

```
mpdf.php
config.php
compress.php
classes/ttfontsuni.php
classes/barcode.php
classes/indic.php
classes/svg.php
examples/show_code.php ----- SECURITY RISK**
examples/example49_changelog.php
examples/example57_new_mPDF_v5-3_active_forms_b (replace example57_new_mPDF_v5-3_active_forms)
includes/out.php
mpdfi/fpdi_pdf_parser.php
```

Files added

```
classes/bmp.php
classes/directw.php
classes/form.php
classes/grad.php
classes/tocontents.php
classes/wmf.php
examples/example58_new_mPDF_v5-4_features
```

config.php changes

```
Edited: $this->allowedCSStags, $this->innerblocktags, $this->defaultCSS; (CAPTION added in each case)
Moved: Numerous $form_.. variables are now in /classes/form.php
```

New config variables

```
$this->bookmarkStyles = array();
$this->cacheTables = true;
```

New methods

```
function CircularText()
function SetVisibility()
```

New/Extended CSS

```
box-shadow (block elements - does NOT support "inset")
text-shadow (all text elements - does NOT support "blur")
visibility: visible|hidden|printonly|screenonly (block-level elements and images IMG only)
text-transform: capitalize|uppercase|lowercase (extended to support TD/TH)
tr|td|th:nth-child(odd|even|2n+1)
color, strikethrough, underline and background-color (extended to support rotated TD/TH)
underline and strike-through (extended to support TD/TH)
underline (line colour) (extended to work correctly in watermark)
page-break-after: left|right|always (block elements and tables)
    NB respects $mpdf->restoreBlockPagebreaks = true; i.e. will make pagebreak act like formfeed
background[-color]: extended to support rgba|cmyka|cmyk|hsla|hsl|spot
border(extended to support inline elements)
```

New HTML

```
-----  
<caption>  
<textcircle />
```

New features / Improvements

```
-----  
Tables - Zebra Stripes  
Tables: overlapping rowspans (partially) supported  
Tables - Disk caching  
Using progress bars (or $showStats) now reports 'real' memory usage i.e. get_memory_usage(true)  
Support for query string in the URLs for external stylesheets e.g. @import url("style.css?ltcyy7");  
Table caption partially supported  
CircularText  
BookMark styling  
Spread tables i.e. can split table (columns) across several pages width.  
Can use chelvetica, ctimes and ccourier to specify core fonts in a non-core font document  
Spread tables i.e. can split table (columns) across several pages width.  
{colsum} in <tfoot> cell will insert a column total per page.  
SVG embedded as island in HTML supported  
Active Forms  
    textarea and input (text types) now accept javascript as:  
        onKeystroke, onValidate, onCalculate and onFormat  
        onChange is deprecated but works as onCalculate (for textarea and input)  
        (PS Select still accepts onChange cf. 5.3.37)  
Ledger and Tabloid added as page formats recognised. NB Ledger is same as tabloid but landscape. In  
mPDF, both give the same size (portrait)  
so need to add -L e.g. Ledger-L for landscape.
```

Internal script changes

```
-----  
Changed this->k to _MPDFK throughout all scripts  
Changes to color (packed binary data in string rather than array) to reduce memory usage esp in tables  
Internal variables Removed  
    $usetableheader;  
    $stableheadernrows;  
    $stablefooternrows;  
vars $ChangePage, $p_bottom_border, $img_margin_top(+) $issetcolor + other similar removed  
  
Removed a whole load of // comments  
Updates to remove some more Warning Notices (not all marked in text)  
Border set on TR - changed so set on each cell, rather than retrospectively at end of TR  
All references to table['text'] removed as not needed - uses ['textbuffer'] instead  
OpenTag(TD) changes to reduce memory usage with tables  
Includes different method to set a default timezone  
fn _smallCaps does not need (undefined) $space  
this->chr and this->ords replaced by chr() and ord()  
Headers in out.php updated to match those used in Output()  
Change to SetFont() to improve performance time  
Change to GetStringWidth() to improve performance time  
Corrected copying of Glyphs 0,1,2, to all subset fonts (non-SMP/SIP), and only setting 32->127 in  
subset  
Subset fonts (non-SMP/SIP) have additionally Unicode CMap tables (0,0,4 and 0,3,4) as well as  
Microsoft (3,1,4)  
Subset fonts (SMP/SIP) have CMap tables (1,0,6 and 3,0,4) - rather than 1,0,6 and 3,0,6  
Subset fonts (SMP/SIP) have 'name' table changed to give 1,0 and 3,0. As it is a symbol font (not  
Unicode encoded) :  
    needs to have a name entry in 3,0 (e.g. symbol) - original font will have 3,1 (i.e. Unicode)  
Automatically checks for HTML code length > 100000 characters and gives error warning if  
    PHP < 5.2.0 (as not configurable) or increases pcre.backtrack_limit if PHP < 5.3.7
```

Removed/Deprecated

```
-----  
function UseTableHeader($opt=true) fn removed / deprecated  
function UsePRE($opt=true) removed  
$attr['REPEAT_HEADER'] == true CSS removed / deprecated  
$this->usepre=true; removed / deprecated as never needed - always respects PRE whitespace
```

ToC: NB Values can no longer be set directly e.g. as in example

```

$mpdf->TOCheader = array(); // array as for setting header/footer
$mpdf->TOCfooter = array(); // array as for setting header/footer
$mpdf->TOCpreHTML = '<h2>Contents - Portrait</h2>'; // HTML text to appear before table of
contents
$mpdf->TOCpostHTML = ''; // HTML text to appear after table of contents
$mpdf->TOCbookmarkText = 'Content list'; // Text as it will appear in the Bookmarks (leave
blank for none)

```

Need to use TOCpagebreak either direct (or array version) or as HTML
OR if absolutely necessary, could use:

```

$mpdf->tocontents->TOCheader = array(); // array as for setting header/footer
$mpdf->tocontents->TOCfooter = array(); // array as for setting header/footer
$mpdf->tocontents->TOCpreHTML = '<h2>Contents - Portrait</h2>'; // HTML text to appear
before table of contents
$mpdf->tocontents->TOCpostHTML = ''; // HTML text to appear after table of contents
$mpdf->tocontents->TOCbookmarkText = 'Content list'; // Text as it will appear in the
Bookmarks (leave blank for none)

```

Further Details

=====

CSS border on inline elements

Support for CSS border (and variants) on inline elements e.g. ``

Border styles `solid|dotted|dashed|double` only are supported. Border radius not supported.

Nested inline elements will have repeat left|right borders on the nested content (unlike browsers)

Tables - Zebra Stripes

TABLE - striped rows cf. <http://dev.opera.com/articles/view/zebra-striping-tables-with-css3/>

```

tr:nth-child(odd) { background-color: #99ff99; }
thead tr:nth-child(3n+2) { background-color: #FFBFFF; }
td:nth-child(2n+1) { background-color: #BBBBFF; }
table.zebraTable td:nth-child(2n+1) { background-color: #BBBBFF; }
table.zebraTable th:nth-child(2n+1) { background-color: #BBBBFF; }

```

NB mPDF does NOT correctly apply specificity to all CSS

```

table.zebra tbody tr:nth-child(2n+1) td { background-color: #FFFFBB; }
table.zebra tbody td:nth-child(odd) { background-color: #BBBBFF; }

```

should make every odd row yellow, and every odd column blue, but with the row/yellow overriding the column/blue.

In mPDF the `td:nth-child(odd)` trumps the plain `td`, so the column colour wins out. You can force the effect you want by using

```

table.zebra tbody tr:nth-child(2n+1) td:nth-child(1n+0) { background-color: #FFFFBB; }

```

(The `:nth-child(1n+0)` selector just selects every `td` cell.)

Tables - Disk caching

TABLES: using disk caching

// Using disk to cache table data can reduce memory usage dramatically, but at a cost of increased // execution time and disk access (read and write)

```

$this->cacheTables = true;

```

```

NB $this->packTableData will be overridden to => true; // required for cacheTables
$this->simpleTables will be overridden to => false; // Cannot co-exist with cacheTables

```

Table caption

Must come immediately after `<table...>`

CSS `caption-side` and HTML `align` attribute of `top|bottom` supported (not attribute `left|right`)

Handled as a separate block element brought outside the table, so:

CSS will not cascade correctly on the table

width of caption block is that of page or of the block element containing the table

so alignment will be to the page-width not the table width
if table page-break-after: always, the caption will follow the pagebreak.

This does work:

```
<style>
.tablecaption { caption-side: bottom; text-align: left; font-weight: bold; color: green; }
</style>
...
<table>
<caption class="tablecaption">Caption title here</caption>
<tbody>
```

CSS visibility: printonly, screenonly

Roughly based on CSS

Works on Block elements P, DIV etc, or Image

Cannot nest / layer.

Inner blocks/image with set visibility are ignored if already set on enclosing block element.

(Block element) does not work inside table (image does)

So 'visible' does nothing but is set as default

(NB Changes output to PDF version 1.5)

Incompatible with PDF/A / PDF/X

'visibility'

Value: visible | hidden | (collapse | inherit)
Initial: visible
Applies to: all elements
Inherited: yes

The 'visibility' property specifies whether the boxes generated by an element are rendered.

Invisible boxes still affect layout (set the 'display' property to 'none' to suppress box generation altogether).

Values have the following meanings:

visible

The generated box is visible.

hidden

The generated box is invisible (fully transparent, nothing is drawn), but still affects layout.

Furthermore, descendants of the element will be visible if they have 'visibility: visible'.

collapse | inherit

NOT supported in mPDF

CUSTOM:

printonly | screenonly

Added VISIBILITY function

\$mpdf->SetVisibility('screenonly'); or 'printonly' 'visible' or 'hidden'

(NB Changes output to PDF version 1.5)

Incompatible with PDF/A / PDF/X

CircularText

function CircularText(\$x, \$y, \$r, \$text, \$align='top', \$kerning=120, \$fontwidth=100) {

x: abscissa of center

y: ordinate of center

r: radius of circle

text: text to be printed

align: text alignment: top or bottom. Default value: top

kerning: spacing between letters in percentage. Default value: 120. Zero is not allowed.

fontwidth: width of letters in percentage. Default value: 100. Zero is not allowed

- now uses Kerning between letters if useKerning == true (set manually see example)

BookMark styling

New configurable variable to control appearance of Bookmarks e.g.

```
$this->bookmarkStyles = array(
    0 => array('color'=> array(0,64,128), 'style'=>'B'),
    1 => array('color'=> array(128,0,0), 'style'=>'),
```

```
2 => array('color'=> array(0,128,0), 'style'=>'I'),
);
```

Column sums

(Also changed some preg_replace to str_replace to improve performance)

To use: just add {colsum} to any cells of the table footer <tfoot>

Add a number to specify a fixed number of decimal points e.g. <td>f{colsum2}</td> will give you £123.40

The width of the column will be calculated using the actual string {colsum} as a placeholder.

If you need the column to be wider, use underscores "_" to pad it e.g. {colsum2_____}

Spread tables

i.e. can split table (columns) across several pages width.

CSS <table style="overflow: visible">

Cannot use with:

\$this->kwt - ignored

\$this->table_rotate - ignored

\$this->table_keep_together - ignored

\$this->ColActive - cancels spread tables

Messes up with:

\$mpdf->forcePortraitHeaders = true;

\$mpdf->forcePortraitMargins = true;

Problems with CJK, and RTL

Will do no resizing of fonts at all.

Maximum width of column = page width i.e. will not split columns across pages - NB will keep colspan>1 on one page

If table row too high for page will die with error message.

Will override some specs for width if this creates conflicts

Recommended to specify absolute value of width on each column.

Bug fixes

=====

Dottab - if text after dottab is hyperlinked <a> then dots are underlined

page-break-before now respects \$mpdf->restoreBlockPagebreaks = true; i.e. will make pagebreak act like formfeed

Annotation() function called directly with colorarray(r,g,b)

Added urldecode to _getImage to cope with ../name%20of%20image.jpg

Added urldecode AND htmlspecialchars_decode to href in <a> link e.g.

<https://www.google.com/search?hl=en&q=mpdf&filename=name%20of%20file>

[barcode.php] Allow in C39 codes - will be changed to spaces

<table> inside a <div position:fixed, left:300px;> not calculating table width correctly
- leading to either upside down table or error width less than 1 character

Deprecated magic_quotes_runtime() in compress.php

DIRECTW included twice in compress.php

FORMS mark up for compress.php corrected

double backslashes not preserved inside <pre> or <textarea>

font-weight and font-style not recognised in <pageheader>

Progress bars causing corrupt PDF file (out.php) changed fopen from "r" mode to "rb" (binary)

Target around image - - not working

SmallCaps in <thead> error

Fonts with "name" table in format 1 not recognised correctly

Rotated table which does not fit on remaining page, forces a new page even if already at top of page

Locale causing problems - all instances of sprintf() using %.3f changed to %.3F so not locale aware

CSS border radius not implemented on fixed/absolute positioned block element

Background color in rotated table extending way beyond bottom of table

Nested table containing <thead> or <tfoot> was confused with <thead> or <tfoot> of parent table

Correct handling of spaces, < or & in textarea

<option> and <input ..> attributes value/title decoded with fn lesser_entity_decode instead of htmlspecialchars_decode to include '

line width not restored to correct value after "line-through" text in Cell()

Kannada - incorrect positioning of Reph

Forms - In <input> or <option> (select) not correctly handling HTML named entities e.g. < in value or title

Active forms - as Value or Title incorrectly showing as Euro - PDFDocEncoding fixed

Unicode data in embedded fonts not encrypted when doc encrypted

Nested block elements which are empty including innermost one, top margin of innermost block was ignored

font-size: xx% inside a block was setting on block's parent font-size

Active forms - radio buttons (removed name from Widget - leave on Radio group)
causing problems accessing field for radio buttons

When using simple tables and border-collapse, if table border set, but cell borders not set, should display table border (fixed)

position:fixed block - if neither top nor bottom nor height specified, was positioned incorrectly (y) Leave - if top, bottom, margin-top, margin-bottom and height are all left unspecified (or auto), will centre vertically

on the page (specific to mPDF - not consistent with CSS2.1)

But if any one of them are specified (including e.g. margin-top=0), follows CSS spec, so top is the current "static" position

background-image-opacity=0 not working on BODY or BLOCK

Lists - if LI continues after a nested List, would add as a new LI item (should continue as part of earlier LI item)

fn WriteCell() converts to 'windows-1252' when required

if multiple calls to mPDF used, cannot redefine function cmp()

internal link targets in ToC not moved when using: page-break-inside:avoid

internal link targets not moved when using: columns, page-break-inside:avoid, keep-with-table or table rotate

Active Forms - onChange not working for SELECT (cf. 5.3.25) Example 57 only worked by chance as JS was carried over from Select to Text field

Bug is fixed, but example file needed updating to onCalculate for the display field.

Table cell: if height set as %, currently sets it as % of page-width; instead this now ignores it.

Bengali letter Khanda Ta (U+09CE) character not recognised; was added in Unicode v4.1 and prior to this, (U+09A4 U+09CD U+200D)

so mPDF converts to this string and seems to work.

OCR characters wrong size in barcodes if using different ocr font